


## 1134 Who's next?

Every computer science student knows binary trees. Here is one of many possible definitions of binary trees. Binary trees are defined inductively. A binary tree  $t$  is either an external node (leaf) '•' or a single ordered pair  $(t_1, t_2)$  of two binary trees, left subtree  $t_1$  and right subtree  $t_2$  respectively, called an internal node '◦'. Given an integer  $n$ ,  $B(n)$  is the set of trees with  $n$  leaves. For instance, the picture below shows the two trees of  $B(3) = \{(\bullet, (\bullet, \bullet)), ((\bullet, \bullet), \bullet)\}$ .



Observe that those trees both have two internal nodes and a total of five nodes. Given a tree  $t$  we define its unique integer identifier  $N(t)$ :

1.  $N(\bullet) = 0$
2.  $N(t_1, t_2) = 2^{n_1+n_2} + 2^{n_2}N(t_1) + N(t_2)$ , where  $n_1$  and  $n_2$  are the number of nodes in  $t_1$  and  $t_2$  respectively.

For instance, we have  $N(\bullet, \bullet) = 2^2 + 2^1 \times 0 + 0 = 4$ ,  $N(\bullet, (\bullet, \bullet)) = 2^4 + 2^3 \times 0 + 4 = 20$  and  $N((\bullet, \bullet), \bullet) = 2^4 + 2^1 \times 4 + 0 = 24$ .

The ordering  $\succeq$  is defined on binary trees as follows:

$$\bullet \succeq t$$

$$(t_1, t_2) \succeq (u_1, u_2), \text{ when } t_1 \succeq u_1 \text{ and } t_1 \neq u_1, \text{ or } t_1 = u_1 \text{ and } t_2 \succeq u_2$$

Hence for instance,  $(\bullet, (\bullet, \bullet)) \succeq ((\bullet, \bullet), \bullet)$  holds, since we have  $\bullet \succeq (\bullet, \bullet)$ .

Using the ordering  $\succeq$ ,  $B(n)$  can be sorted. Then, given a tree  $t$  in  $B(n)$ , we define  $S(t)$  as the tree that immediately follows  $t$  in the sorted presentation of  $B(n)$ , or as the smallest tree in  $B(n)$ , if  $t$  is maximal in  $B(n)$ . For instance, we have  $S(\bullet, \bullet) = (\bullet, \bullet)$  and  $S(\bullet, (\bullet, \bullet)) = ((\bullet, \bullet), \bullet)$ . By composing the inverse of  $N, S$  and  $N$  we finally define a partial map on integers.

$$s(k) = N(S(N^{-1}(k)))$$

Write a program that computes  $s(k)$ .

### Input

The first input line contains an integer  $K$ , with  $K > 0$ . It is followed by  $K$  lines, each specifying an integer  $k_i$  with  $1 \leq i \leq K$  and  $0 \leq k_i < 2^{31}$ .

**Output**

The output should consist of  $K$  lines, the  $i$ -th output line being  $s(k_i)$ , or 'NO' if  $s(k_i)$  does not exist.

**Sample Input**

```
5
4
0
20
5
432
```

**Sample Output**

```
4
0
24
NO
452
```