

## 11077 Find the Permutations

Sorting is one of the most used operations in real life, where Computer Science comes into act. It is well-known that the lower bound of swap based sorting is  $n \log(n)$ . It means that the best possible sorting algorithm will take at least  $O(n \log(n))$  swaps to sort a set of  $n$  integers. However, to sort a particular array of  $n$  integers, you can always find a swapping sequence of at most  $(n - 1)$  swaps, once you know the position of each element in the sorted sequence.

For example consider four elements  $\langle 1\ 2\ 3\ 4 \rangle$ . There are 24 possible permutations and for all elements you know the position in sorted sequence.

If the permutation is  $\langle 2\ 1\ 4\ 3 \rangle$ , it will take minimum 2 swaps to make it sorted. If the sequence is  $\langle 2\ 3\ 4\ 1 \rangle$ , at least 3 swaps are required. The sequence  $\langle 4\ 2\ 3\ 1 \rangle$  requires only 1 and the sequence  $\langle 1\ 2\ 3\ 4 \rangle$  requires none. In this way, we can find the permutations of  $N$  distinct integers which will take at least  $K$  swaps to be sorted.

### Input

Each input consists of two positive integers  $N$  ( $1 \leq N \leq 21$ ) and  $K$  ( $0 \leq K < N$ ) in a single line. Input is terminated by two zeros. There can be at most 250 test cases.

### Output

For each of the input, print in a line the number of permutations which will take at least  $K$  swaps.

### Sample Input

```
3 1
3 0
3 2
0 0
```

### Sample Output

```
3
1
2
```