


11785 Hypercube

In geometry, a hypercube is an n -dimensional analogue of a square ($n = 2$) and a cube ($n = 3$). It consists in groups of opposite parallel line segments aligned in each of the space's dimensions, at right angles to each other and of the same length. An n -dimensional hypercube is also called an n -cube.



In parallel computing, the vertexes are processors, and the line segments (edges) represent connections. The n -cube architecture has the following properties:

- Each node has n connections with different processors.
- Each processor has a unique identifier, between 0 and $2^n - 1$.
- Two processors are directly connected if and only if their identifiers differ in just one bit. For instance, in a 3-cube, processors 3 (011 in binary) and 7 (111 in binary) are directly connected.
- The number of processors is 2^n .

The new company WEFAIL is designing hypercubes, but they are always contracting new people, whose do not know all the hypercube properties, and sometimes they fail; thus these properties are not satisfied in all cases. Given an arbitrary graph, your task is to write a program that determines whether the graph is a hypercube or not.

Input

The input consists in several problem instances. Each instance contains one graph, which starts with a line with two positive integers: K and M , representing the number of vertexes ($0 < K \leq 1024$) and the number of edges respectively. It follows ($0 \leq M \leq 5130$) lines, representing the edges. Each edge is given by two 32 bits integers, representing the processors connected by the edge.

The end of input is indicated by a test case with $K = 0$.

Output

For each problem instance, the output is a single line, with the word 'YES' if the corresponding graph is a hypercube, and 'NO' otherwise (quotes for clarity). The output must be written to standard output.

Sample Input

```
4 4
0 1
1 3
```

2 0
3 2
2 1
1 4
3 2
0 1
1 2
0 0

Sample Output

YES
NO
NO