

## 12772 Dynamic accessible Pairs

Initially, there is an empty tree. You add  $n$  nodes to the tree, one by one.

After each node is added, print the number of accessible node pairs.

Two different nodes  $i$  and  $j$  are accessible if and only if  $dist(i, j) \leq r(i) + r(j)$ , where  $dist(i, j)$  is the length of unique path from  $i$  and  $j$ .

Note that a node and itself is NOT an accessible node pair.

Nodes are numbered 1, 2, 3, ... in the same order as they are added.

### Input

The first line contains  $n$  ( $2 \leq n \leq 100000$ ), the number of total nodes.

There are  $n$  lines followed. The  $i$ -th line contains three integer  $a(i)$ ,  $c(i)$ ,  $r(i)$ , that means node  $i$  is connected with node  $f(i) = a(i) XOR (last\_ans \bmod 10^9)$ , edge weight is  $c(i)$ , range value is  $r(i)$  ( $1 \leq r(i) \leq 10^9$ ).

Note that node 1 is not connected with any node, so we define  $a(1) = c(1) = 0$ . For other nodes (i.e.  $i \geq 2$ ),  $1 \leq f(i) < i$ ,  $1 \leq c(i) \leq 10000$ ,  $0 \leq a(i) \leq 2 * 10^9$ . For each test case,  $last\_ans$  is initially 0.

### Output

The output for each test case contains  $n + 1$  lines. The first line contains the case number, the  $(i + 1)$ -th line is the number of accessible pairs after node  $i$  is added. Print a blank line after each test case (including the last one).

### Sample Input

```
5
0 0 6
1 2 4
0 9 4
0 5 5
0 2 4
5
0 0 6
1 2 4
0 9 4
0 5 5
0 2 4
0
```

### Sample Output

```
Case 1:
0
1
2
4
7
```

Case 2:

- 0
- 1
- 2
- 4
- 7