

## 11983 Weird Advertisement

**2DPlaneLand** is a land just like a huge **2D** plane. The range of  $X$  axis is 0 to  $10^9$  and the range of  $Y$  axis is also 0 to  $10^9$ . People built houses only in integer co-ordinates and there is exactly one house in each integer co-ordinate.

Now **UseAndSmile** Soap Company is launching a new soap. That's why they want to advertise this product as much as possible. So, they selected  $n$  persons for this task. Each person will be given a rectangular region. He will advertise the product to all the houses that lie in his region. Each rectangular region is identified by 4 integers  $x_1, y_1, x_2$  and  $y_2$ . That means this person will advertise in all the houses whose  $x$  co-ordinate is between  $x_1$  and  $x_2$  (inclusive) and  $y$  co-ordinate is between  $y_1$  and  $y_2$  (inclusive).

Now after a while they realized that some houses are being advertised by more than one person. So, they want to find the number of houses that are advertised by at least  $k$  persons. Since you are one of the best programmers in the city; they asked you to solve this problem.

### Input

Input starts with an integer  $T$  ( $\leq 13$ ), denoting the number of test cases.

Each case starts with a line containing two integers  $n$  ( $1 \leq n \leq 30000$ ),  $k$  ( $1 \leq k \leq 10$ ). Each of the next  $n$  lines will contain 4 integers  $x_1, y_1, x_2, y_2$  ( $0 \leq x_1, y_1, x_2, y_2 \leq 10^9$ ,  $x_1 < x_2$ ,  $y_1 < y_2$ ) denoting a rectangular region for a person.

### Output

For each case, print the case number and the total number of houses that are advertised by at least  $k$  people.

Renat Mullakhanov (**rem**. See <http://www.topcoder.com/tc?module=MemberProfile.cr=8394868>), one of the most talented programmers in the world, passed away on March 11, 2011. This is very sad news for all of us. His team went to ACM ICPC World Finals - 2004, placed 4th and won gold medals. He really was a great programmer. May he rest in peace. This problem is dedicated to him.

### Sample Input

```
2
2 1
0 0 4 4
1 1 2 5
2 2
0 0 4 4
1 1 2 5
```

### Sample Output

```
Case 1: 27
Case 2: 8
```